## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## **LISTING OF CLAIMS:**

1. (original): An optical refractive index-modifying polymer composition comprising as a main component a polymer (A) which is a polymer of monomers including as an essential component an acrylic vinyl monomer represented by the following formula (1):

$$CH_2=C(R^1)-C(=O)O-R^2=CH_2$$
 ···(1)

wherein R<sup>1</sup> represents a hydrogen atom or a methyl group, R<sup>2</sup> represents a saturated or unsaturated hydrocarbon group having 1 to 20 carbon atoms, and the molecule may contain a hetero atom or a halogen atom,

wherein the polymer (A) contains a remaining radical-polymerizable side-chain vinyl group in the molecule, and the composition comprises a thermally curable polymer (B) in an amount of 5 to 60 parts by weight per 100 parts by weight of the polymer (A).

- 2. (original): The optical refractive index-modifying polymer composition according to claim 1, wherein an increase in refractive index ( $\Delta n$ ) before and after irradiation is 0.005 or more when the composition is irradiated with a light in an ultraviolet region in an integrated light quantity of 10 J/cm<sup>2</sup> or less.
- 3. (currently amended): The optical refractive index-modifying polymer composition according to claim 1-or 2, wherein a difference (Y-X) between refractive index (X) after modulating refractive index upon irradiation and further thermally curing the thermally curable polymer (B) upon heating at a temperature equal to or higher than the curing temperature of the

thermally curable polymer (B) and refractive index (Y) when the composition is subsequently irradiated with a light in an ultraviolet region in an integrated light quantity of 1 J/cm<sup>2</sup> or less, is 0.003 or less.

- 4. (currently amended): The optical refractive index-modifying polymer composition according to -any-one of claims 1-to 3, wherein tacticity of the polymer (A) is 70% or more as syndiotacticity (rr).
- 5. (currently amended): The optical refractive index-modifying polymer composition according to any one of claims 1 to 4, wherein the thermally curable polymer (B) is a thermally curable polymer having at least two epoxy groups in the molecule.
- 6. (original): The optical refractive index-modifying polymer composition according to claim 5, which contains the thermally curable polymer (B) in an amount of 5 to 35 parts by weight per 100 parts by weight of the polymer (A).
- 7. (currently amended): The optical refractive index-modifying polymer composition according to any one of claims 1-to 6, wherein the curing temperature of the thermally curable polymer (B) is 150°C or lower.
- 8. (currently amended): The optical refractive index-modifying polymer composition according to any one of claims 1-to-7, which contains at least one selected from a photoinitiator, a sensitizer, a chain transfer agent, and a thermally acid-generating agent.
- 9. (currently amended): A hologram recording material comprising the optical refractive index-modifying polymer composition according to any one of claims 1 to 8.
- 10. (currently amended): A method of controlling refractive index comprising modulating refractive index upon irradiating the optical refractive index-modifying polymer

 Preliminary Amendment National Stage Entry of PCT/JP06/300085

composition according to any one of claims 1 to 8 with a light and subsequently thermally curing the thermally curable polymer (B) upon heating at a temperature equal to or higher than the curing temperature of the thermally curable polymer (B).